














1126N















1126F



















1126




NR	ELEMENT	1126N	1126F
E1		1	1
E2		1	1
E3		1	1
E4		1	1
E5		1	1
E6		1	1

NR	ELEMENT	1126N	1126F
E7		1	1
E8		1	1
E9		1	1
E10		1	1
E11	 F11P_1_HP_g13_v283cm x 83cm	2	2
E12		1	1


NR	ELEMENT	1126N	1126F
E13	 <p>R1100_3_Y_v1</p> <p>L= 70cm</p>	4	4
E14		1	1
E15	 <p>F11M_8_HP_g13_v1</p>	1	1
E16	 <p>F11M_8_HP_g13_L_v1</p>	1	1
E17		1	1
E18	 <p>H=90cm</p>	1	1

NR	ELEMENT	1126N	1126F
E19	 <p>F1100_0_PE_g15_v1 + M4</p>	1	1
E20	 <p>F1100_0_PE_g15_v1 + M5</p>	1	1
E21	 <p>F1100_24_PE_g15_v1</p>	1	1
E22	 <p>F11X_4_PE_g15_v2</p>	2	2
E23	 <p>F11X_11_PE_g15_v1</p>	2	2
E24		1	1

				1126N	1126F
Nr	Element	DIN	ELEMENT	Σ	Σ
10		DIN 9021	6x18	46	46
15		ISO 7380	M6x30	30	30
16		-	K1_d21_B	46	46
17		-	Z1_d21_B	46	46
18		DIN 985	M6	42	42
21		DIN 125	8x16	24	28
22		DIN 125	6x12	60	64
23		-	M6x12	24	28
24		ISO 7380	M6x16	8	12
25		ISO 7380	M6x35	22	22
29		-	K_5_A2_g2_ G_v2	4	4
51		ISO 7380	M6x45	4	4
58		-	LOCTITE	1	1
61		-	KL105		35
109		DIN 913	10x10		2
121		-	7100_5_A2_ g3_G_v1		2
139		DIN 7991	M6x16		16


				1126N	1126F
Nr	Element	DIN	ELEMENT	Σ	Σ
213		-	Z_NA_1	1	1
214		-	Z_NA_2	1	1

1126N
1126F




Technical drawing of a car seat, showing the seat and backrest assembly. The drawing includes the following dimensions:

- Overall width: 557
- Overall height: 737
- Seat width: 257
- Seat height: 200
- Seat depth: 100
- Backrest width: 150
- Backrest height: 150
- Backrest depth: 100
- Seat cushion width: 150
- Seat cushion height: 150
- Seat cushion depth: 100
- Backrest cushion width: 150
- Backrest cushion height: 150
- Backrest cushion depth: 100




1126N
1126F




1 1126N
1126F

 INST_11_18




2 1126N
1126F

 INST_11_28




3 1126N
1126F

INST_11_18



4 1126N
1126F


INST_11_18



5 1126N
1126F




INST_11_05
INST_11_41
INST_11_68A



6 1126N
1126F




INST_11_68B
INST_11_68C




7 1126N
1126F

INST_11_52



8 1126N
1126F

INST_11_41
INST_11_68A





9






1126N
1126F




INST_11_70
INST_Z_1



1126N



1126F

Nr	Σ	Element	DIN	ELEMENT
61	3		-	KL105

